

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



HARVARD COLLEGE LIBRARY

† . .

· •

July 1878

. .

HOW TO TAKE CARE

OF

OUR EYES.

WITH ADVICE TO

PARENTS AND TEACHERS IN REGARD TO THE

MANAGEMENT OF

THE EYES OF CHILDREN.

BY

HENRY C. ANGELL, M.D.,

PROFESSOR OF OPHTHALMOLOGY IN BOSTON UNIVERSITY, AUTHOR OF
"A TREATISE ON DISEASES OF THE EYE FOR THE USE OF
STUDENTS AND GENERAL PRACTITIONERS," ETC., ETC.

BOSTON:
ROBERTS BROTHERS.
1878.

Med 2718.78



Entered according to act of Congress, in the year 1878, by
HENRY C. ANGELL,
In the office of the Librarian of Congress at Washington.

Cambridge: Press of John Wilson & Son.

PREFACE.

THOUGH not the first work of the kind published, this is believed to be simpler, freer from technical terms, and shorter than its predecessors. These merits, it is hoped, may render it exceptionally popular, and therefore exceptionally useful.

The growing prevalence of weak sight in this country, both in children and adults, would seem to make a wider knowledge of the eye, and how to take care of it, of some importance.


A part of the book has already been published in the "Atlantic Monthly."

16 BEACON STREET, Boston, 1878.

· • •

CONTENTS.

		PAGE
How we see		8
ACCOMMODATIVE OR ADJUSTING POWER OF THE EYES		12
Convergence of the Eyes		13
RELIEF OF WEAK SIGHT (ASTHENOPIA)		15
Over-sight		21
EYE-GLASSES FOR OVER-SIGHT		29
NEAR-SIGHT (MYOPIA)		29
Selection of Glasses for Near-sight		33
OLD SIGHT		34
PECULIAR SIGHT (ASTIGMATISM)		41
SPECTACLES AND EYE-GLASSES, AND THEIR COST		46
Color-Blindness		48
CONTAGIOUS DISEASE OF THE EYES		48
Accidents to the Eyes		49
Sympathetic Disease of the Eyes		53
ARTIFICIAL EYES		53
Babies' Sore Eyes		54
CATARACT IN CHILDREN'S EYES		54
SQUINT OR CROSS-EYE		57
PROGRESSIVE NEAR-SIGHT IN CHILDREN		57
Acquired Near-sight in Children		59
NEAR-SIGHT IN CHILDREN A DISEASE		61
DEFECTS OF SCHOOL-ROOMS		64
What to do for Near-sight in Children		66
IMPERFECTION OF THE EYE AS AN OPTICAL INSTRUMEN	т.	67
Then make		8 71



THE CARE OF OUR EYES.

SOME KNOWLEDGE OF THE EYE NECESSARY FOR ITS PROPER CARE.

To take proper care of our eyes is to do what we can to avoid such diseases or weakness of the eyes as are avoidable. But to do It is important to know how this efficiently we must know something about the eye and its diseases and weaking them. nesses. We must know what certain feelings about the eyes mean, what pain and fatigue mean, and why the eye is so often subject to fatigue and pain. We cannot afford to give up the entire use of our eyes because they ache, nor can we afford wholly to disregard ominous symptoms lest we run the risk of impairing sight or losing it. We wish to use our eyes, to preserve our sight to the last, and to avoid all avoidable disease.

THE SYMPTOMS OF WEAK SIGHT (ASTHENOPIA).

The first symptom is fatigue of the eyes during or after reading, writing, sewing, and similar work in the evening. Very soon the same fatigue is noticed after like occupations during the day, when the light is good. After a time, fatigue of the eyes comes on immediately on attempting to read or sew, and, if disregarded, pain and confusion of vision follow. Letters appear to run together, lines are blurred and indistinct, and These symptoms cannot be continued use of the eyes in reading beignored with safety. comes impossible. If we then look up, across the room, or in the distance, quick relief comes, and vision is as clear and distinct as possible; but an attempt to read, again brings a return of pain and confusion of sight.

HOW WE SEE.

In order that we may comprehend exactly the nature of weak sight, let us consider for a moment the structure of the eyes and how we see. The figure numbered A, on the next page, gives an idea of the anatomy of the eye, sufficiently full for our purpose. The rays of light from an object enter the eye through the pupil (P), and, passing back to the inner The eye is, practically speaking, a photographic coat of the eye, the retina (R), form an image of the object upon it very much as an image is formed on the plate in the camera of the photographer. Indeed, quite lately, experiments have been made that show a very close relation between the nature of photographor.

Fig. A.




Figure A gives a profile view of the eye; that is, the eye-ball is divided into two equal parts, just as one might divide an apple or an orange, and the flat, cut surface held up to view.

W points out the white of the eye, a strong protective coat extending quite around the eye-ball except in front. It is called the sclerotic coat.

C, the cornea, or transparent front of the eye; and, behind it,

I, the *iris*, or colored part of the eye, extending in a circle around

P, the pupil, which is a circular hole in the iris, that admits

the light into the eye, and out of which the eye sees.

L is the crystalline lens directly behind the pupil. In health, the lens is transparent like the front of the eye, and offers no obstruction to the passage of rays of light; but if it becomes opaque, it is called cataract, and the eye is more or less blind from the obstruction of the passage of light.

M A is a little muscle, called the muscle of accommodation, that

adjusts the focus of the lens and the eye for near objects.

M C is a muscle attached to the white of the eye on the outside, that converges or turns the eyes inward, and is the muscle of convergence.


R points to the inner lining of the eye, the retina, upon which

images of objects are pictured; and

O N is the optic nerve that conveys these pictures to the brain. H is the body of the interior of the eye, filled by a transparent humor.

raphy and the nature of the process that goes on in the act of seeing. Rabbits have been The retina is the surface that held a few seconds before a window, receives the impression. and then, being immediately killed, the picture of the window has been found distinctly photographed on the retina of their eyes. After the reception of the image upon the retina, the act of seeing is completed by the transmission The optic nerve serves to carry of the impression to the brain through the impression to the brain. the optic nerve (O N in the figure). But in order that the image of an object on the retina shall be clear and distinct, it is Rays of light must be fonecessary that the rays of light passing cused

Fig. B.



A, the rays of light entering the eye.

R, the retina, where they should be focused.

L, the lens by which the rays of light are chiefly focused.

into the eye through the pupil should be properly focused. See Figure B. above.

Vision will be clearest and easiest if the rays of light are brought to a point exactly as they reach the retina. If they are focused exactly as they just before, or if they reach the retina before being focused, the sight will be more or less blurred.

When we are looking at a distance, if our eyes are neither near-sighted nor far-sighted (over-sighted), the rays of light that enter the eye are focused on the retina, as seen in Fig-No effort to look at distant ure B, without effort on our part; but objects. if we regard near objects, as in reading or sewing, there is an effort of the eye to focus the rays of light: otherwise they would reach the back of the




Fig. C.

eye without being brought to a point at all, as seen in the figure above.

The reason of this is that rays of light from small objects—as in letters, for example—approach the eye, not in parallel lines, as seen in Figure B, but in lines that diverge as they pass into the eye, as seen in Figure C. To converge such lines to a point on the retina requires more focusing power than if they entered the eye in parallel lines, as seen in Figure B. This focusing power, which is called


THE ACCOMMODATIVE POWER OF THE EYE,

is furnished by a muscle (M A, Figure A). This muscle we may call the muscle of accommodation, and when it is brought into use, the lens (L in the figures) is made more convex or full, and thus a greater focal power is given to the eye. The fuller or more convex the lens, whether the natural one within the eye or a glass lens such as used in spectacles, the greater its power of bending rays of light to a point. Notice that the lens (L) is more full in Figure D than in Figure C.

If we look at distant objects the muscle relaxes, because the use of the accommodative power is unnecessary; but always, in reading, writing, sewing, and every kind of occupation requiring fixation of sight on near objects, this accommodative appara-

tus is brought into use. Though involuntary, the accommodation or adjustment of the eyes for near

Fig. D.



objects is an effort; hence the relief that comes from looking up and off from near The adjustwork, so especially grateful to fatigued and sensitive eyes.

ment of the eyes for near work is a distinct effort.

CONVERGENCE OF THE EYES.

Another factor in the act of adjustment of the eyes for near objects is convergence. By this is meant the turning inward of ward. the eyes so that both may be directed to the same object. If you will hold up a finger before the face, at a distance of four or five inches from it, and look at it fixedly with both eyes, you will notice that a distinct effort.

In reading or sewing we turn the eyes in-

It is also an

effort is made to turn the eyes inward; and if you continue to look at the finger in this position, the act will soon become painful. The convergence of In looking at a the eyes is also an effort, and is brought distance there is no convergence. about by a muscle on the outside of each eyeball, attached to the white of the eye on the side towards the nose. This muscle (M C, Figure A) we may call the muscle of convergence. There are other muscles which modify the action of this one, but they need not be considered here.

THE NATURE OF WEAK SIGHT.

Weak sight is therefore nothing more nor less than a disorder of the accommodative apparatus: or, we may say, a disorder of the two Failure of the accommodating muscles of accommodation and converor adjusting power of the In health, these two muscles gence. eye. work together in perfect harmony. If either one becomes affected, this harmony is disturbed, and weak or painful sight may follow; but the immediate occasion, usually, of weak sight is an overworked, fatigued, sensitive condition of these It is plain, then, that as in distant vision muscles. this muscular apparatus is not used, Moderation and discretion and as in near work it must of necessity necessary in using the eyes. be brought into service, if sight is weak

or painful and we wish to improve and cure it, we must carefully regulate the way in which we use our eyes, with a view to relief of this overused and weakened adjusting power.

HOW TO RELIEVE OR PREVENT WEAK SIGHT.

Persons having a tendency to weakness of sight, or those experiencing unusual fatigue of the eyes in reading, or similar occupation requiring close vision, should carefully observe the following rules:

- I. Cease to use the eyes for the time being, and look away from the work, when sight becomes in the least painful, blurred, or indistinct. After perfect rest for a moment, or longer, work may be resumed, to be discontinued as before when the eyes feel again fatigued.
- 2. See that the light is sufficient, and that it falls properly upon your work. Never sit facing it. It is best that the light should fall upon the work from above and behind. Failing this, it may fall from the side. Never use the eyes at twilight. Any artificial light for the evening is good if it is brilliant enough and steady. A flickering gas-light is injurious. The argand gas-burner with a chimney does not flicker, is brilliant, and may therefore be recommended. A study-lamp, or any lamp with a

chimney, burning oil or kerosene, if it affords a sufficiently brilliant light, may also be agreeable for the eyes. When artificial light is at all painful, it is safer to read or write only during the day.

- 3. Never read in the horse or steam cars. It requires too great an exertion of the accommodative power to keep the eyes accurately focused and fixed on the letters. Business men are in the habit of reading the evening papers on their way out of the city, and the morning papers on their way in. This dangerous practice is rather a frequent cause of weakness of sight. There are those who can follow it with impunity year after year (see p. 45), but there are more who cannot.
- 4. Never read when lying down: it is too fatiguing for the accommodative power. Many a tedious case of weak sight has been traced to the pernicious habit of reading in bed after retiring for the night.
- 5. Do not read much during convalescence from illness. Before the muscular system generally has put recovered its healthy tone, we when recovering from illness. commodation to bear the continuous use to which they are subjected in reading or writ-

ing. We cannot be sure that the delicate muscles of the eye are in a condition to be used until the muscles of the leg and the arm have regained their strength and firmness.

- 6. The general health should be maintained by a good diet, sufficient sleep, air, exercise, amusement, and a proper restriction of the hours of hard work. One ought not to expect strong eyes in a body weakened by bad habits or an injudicious amount of labor. Bright gas-lights in crowded rooms, and the impurity of the air in such places, are especially to be avoided. Medical advice should be sought in regard to any nervous debility, disorder of the organs of digestion, or any functional disturbances of a general nature, whether they appear to have a direct connection with the weakness of sight or not.
- 7. Take plenty of sleep. Sleep is a sovereign balm for those who suffer from weak sight. Retire early and avoid the painful evening lights. Ten hours' sleep cannot be overestimated. for delicate eyes is better than eight.

THE USE OF EYE-GLASSES IN WEAK SIGHT.


If the weak sight does not improve satisfactorily under the observance of the rules given, it will be necessary to resort to the use of convex glasses. It is better in this case to consult a Glasses are often necessary competent oculist. He will furnish to cure weak sight; you a recipe, which may be taken to a good optician, who will sell you the glasses prescribed. The eye-glasses are to be used exactly as directed by the oculist. For the benefit of such as are unable to get proper advice, it may not to make one see, but to be well to say that the convex glasses help one to see near objects will probably require to be of about without effort. 48-inch focus, and that they are to be worn only in reading, sewing, and such occupations as require the accommodative apparatus of the eye to be brought into use. The moment the eye Notice these regulations for tires, the glasses must be removed; to their use. be replaced again, after a rest of the eyes, when work is resumed.

To accustom the eyes to the help of glasses may require some days or weeks and considerable patience. After beginning with them, it is best not to omit their use in reading or sewing, even temporarily, but to work or read always by their help; limiting the amount of reading at first, and then increasing it day by day, or week by week, until the sight becomes strong.

WHY CONVEX GLASSES ARE USEFUL IN WEAK SIGHT.


By looking at the figure below, you will see that parallel rays of light, or rays of light from a dis-Fig. B.





tance, are focused exactly on the retina at the back of the eye (Fig. B). But divergent rays from

Fig. C



near objects, as seen in Figure C, are not focused properly. Next, you will observe that in Figure D

the rays of light are there again brought to a focus by means of the muscular adjusting Convex glasses supplement the power, or what we call the accommodaconvex lens within the eye. tive power. Notice in this figure that the lens (L) is more convex or full than in the other figures. This gives the eye a greater focal power; just exactly what it needs in looking at fine objects quite near it. Now if we put convex glasses before the eyes, it renders them practically more round and full, so that rays of light are focused without calling upon the weak and fatigued adjusting apparatus for help. It gives us a chance to use the eyes without fatigue.

WHAT RESULTS IF NO ATTENTION IS PAID TO THE WEAK SIGHT.

If the symptoms of pain, confusion of vision, dread of light and of all use of the eyes continue, and no measures are taken to ameliorate or remove them, there is danger of the eyes not only becoming nearly useless, but that they may finally get so sensitive and irritable that ordinary daylight cannot be borne without pain and discomfort. When weak sight has been allowed to progress for years, it sometimes becomes so severe that one finds a darkened room the only really comfortable place,

dark-blue or smoke-colored glasses not affording a sufficient protection from the light. recall a patient several years ago, whose eves had become so sensitive that he came to me wearing two pairs of glasses, — dark-green goggles and dark-brown

Neglect in weak sight will not lead to blindness, but it may lead to painful, burdensome, useless eyes.


spectacles, - and these made it so dark that he could scarcely find his way about. I remember also his saying that if he raised his glasses at a street-crossing, to enable him to avoid passing vehicles, he would be obliged to spend two hours in a dark room to quiet the pain and discomfort. was, of course, an exceptionally severe case. eyesight was still preserved, but it was almost worse than useless to him.

Severe cases of weak sight are tedious and difficult to cure, and particularly so if of years' standing; but recent cases are curable.

OVER-SIGHT OR FAR SIGHT.


This is a defect of a nature exactly the opposite of near-sight. In near-sight, the eye is adjusted or accommodated for a point nearer than the object looked at, and consequently does not see distant things distinctly. In over-sight, it is fixed for a point beyond the object looked at, and does not see well either near or far. In near-sight, the eyeball is too full or convex, and in over-sight it is too

Fig. E.



flat. Being too flat, the rays of light entering the pupil reach the retina at the back before being

Fig. F.



focused, as represented in Figure E, and therefore vision is blurred and indistinct.

Figure F shows a profile view of a near-sighted

eye. Here the rays of light are seen to come to a focus before reaching the retina, beIn over-sight the eye is too cause the eye-ball is too full or too long flat in form.

from front to rear (Fig. F, p. 22).

HOW TO DETERMINE WHEN ONE IS OVER-SIGHTED.

In over-sight, one does not see with perfect clearness and ease at any distance. Very fine type like this, for instance, is not read, even by those too young to be old-sighted, in a good light, quickly, fluently, and without effort.

A parting visit to the Albambra, and a call on our banker, and we were ready and eager to climb over the great mountains to Malaga and the Mediterranean. The banking-house was found to be a grocery also, and the polite clerk invited us to come the next day to see his master. On the following day the banker himself inspected our letter of credit, and then, with expressions of regret at our impatience, appointed an hour on the morrow to hand us the money. The hour of twelve on the succeeding day found us promptly at his counter, where, to our dismay, we found a large heap of silver dollars awaiting us. As usual, the banker was away, and the clerk had no authority to give us gold or paper instead; so we told him that we would, therefore, only draw enough upon our letter of eredit to take us to Malaga, whereupon he at once scraped away his heap of silver and handed us its equivalent in gold. We left Granada that afternoon at six o'clock in the berifus of an excellent diligence drawn by four real horses that did not degenerate into five nules and a boy until we arrived at Loja. The journey along the great intervale called the Vega, towards this place, is picturesque and full to the brim of the bewitching Moorish nance that makes so captivating a part of every thing in this ideal region. On our left high above us lay the snow-capped Alpujarras, the last mountain refuge of the unhappy Moors, and near it the peaks that look down upon the site of the romantic fortress of the Alhama. In front the great gorge through which the river Xenil finds its way among the mountains to join the Guadelquivir, at the right the rough hills, beyond which is old Cordove and its famous Mosque: behind us, beautiful Granada, its slender spires and turrets, its shadowy red hill crowned by the great Moorish palace. It was our parting look; the growing twilight and a rising veil of mist that half concealed the charming scene, lent a fervor to the imagination inseparable from such a moment,

A haif hour later and our diligence stopped to take up a native soldier who, to our dismay, got into the berifina and sak between us, although there was plenty of room behind in the interior. As a matter of course we expected him to smell of garlie, like everybody and every thing else in Spain. Our mistake was in supporting that the redundancy of smell in this case could be made supportable by violent use of eigarilice and extraordinary ventilation. He was an unoffensive good-attured fellow, and did not mind the cool night winds; but when he took up this little tim-pail of hunch and pulled off the cover, giving free vent to the impostable gartie, it was very hard for us not to believe him conscious of having, most impalitely, visiated our common atmosphere.

Nor are street-signs made out as easily as by others with properly formed eyes. The attempt to tell the time by a public clock at a distance is

not quite satisfactory, although in regard to distant objects the sight is far better than that of a nearsighted person. If an over-sighted person tries the test-type numbered 5, 6, 8, 10, 12, 14, on the next page, each of which lines of letters should be seen at a distance in feet corresponding to its number (thus, 6 should be held at six feet, 12 at twelve feet, and 14 at fourteen feet away), he will find that the letters are not easily distinguished at the proper distance. Number 50 and number 20, on page 26, may not be seen distinctly at fifty and twenty feet. If he looks through very weak convex glasses, of 60 or 72 inches focus, the vision for distance will be improved. And the fine print on page 23 will be read more easily, - the print will be blacker, - by putting on convex glasses of 40 or 48 inches focus. When there is a doubt as to the existence of over-sight, or a doubt as to the particular nature of defective vision, it is well to consult an oculist, and have the eyes examined with the view to determine exactly the existing visual weakness.

OVER-SIGHT A COMMON CAUSE OF WEAK SIGHT.

We have seen on page 14 that weak sight is the result of overworking the muscles of accommoda-

No. 5.

No. 6.

HGEDPUOIE

No. 8.

IGOTCLEIU

No. 10.

UFTDHGPOE

No. 12.

QECPUFDIL

No. 14.

PDLFHOTGI

No. 20.

FPLOH


No. 50.

UCP

tion and convergence. Now, as seen in Figure E below, an over-sighted eye is so flat or shallow that rays of light reach the back of it before being focused; it is there-

The lack of focusing power in an eye too


Fig. E.



fore clear that such an eye must be continually using its accommodative power in order makes it almost It is to be remembered to see at all. that an eye of correct form does not dative power.

impossible not to overwork the accommo-


Fig. B.



need to call into use the muscles controlling its

extra focusing power when regarding distant objects (see Fig. B), but only when regarding near objects; as in reading, writing, and like occupations, as shown in Figure D, where the lens is noticeably more full or convex.

Fig. D.



As an over-sighted eye must continually exert itself at all distances to focus rays of light, it is almost certain to overuse its accommodative power; and therefore over-sight is a very usual cause of weak sight. An eye correctly formed may become weaksighted; but an eye that is too flat is, if put to much near use, almost sure to get fatigued, and in time to develop all the unpleasant features of this affection. Having to use its accommodative power for distant as well as for near objects, there is no rest for it except during the hours of sleep.

CONVEX GLASSES FOR OVER-SIGHT. The remedy for over-sight suggests itself at once.

If the eye is too flat, of course a convex glass () makes it less so, practically, and thus removes the effect of its defective form. Convex glasses in the form of eye-glasses or spectacles are therefore imperative to prevent the development A convex glass helps the foof weak sight as well as to aid vision. cusing power, and so relieves What the strength of the glasses should the strain on the muscles of be will depend upon the degree of accommodafaulty formation of the eye-ball. tion. oculist is the proper person to determine this. object here is to make the fact clear that no method of resting the eyes, and no kind of rules and regulations, can probably prevent such eyes becoming weak-sighted, painful, and useless, except convex glasses be worn; and that these will, to a great extent, render such eyes serviceable and comfortable. Those who are over-sighted are, however, advised to use their eyes with discretion, and to regard the rules and regulations given on pages


NEAR-SIGHT (MYOPIA).

15-17.

This is defective sight of a nature exactly the opposite of that of over-sight. The eye is too full,

or too deep from front to rear, so that the rays of light are brought to a focus before reaching the

Fig. F.



In near-sight there is too much use of the muscles of convergence in order to turn the eyes inward, because objects are held very near the

retina, at the back of the eye (see Fig. F). Vision is, therefore, indistinct and hazy unless objects are brought very near. It will be remembered that, in order to see clearly, rays of light must be focused exactly on the retina; but, in a nearsighted eye, the distance between the

retina at the back of the eye and the front of the eye-ball is so great, that the convex form of the lens brings the rays of light to a point, in spite of all effort to the contrary, before they reach the retina. The exercise of the accommoda-But there is

comparatively little use of the accommodative power.

tive or adjusting power of the eye is of no use, or even worse than useless, because, when brought into service, its function is to make the lens more convex (see p. 12); and this addition to the refractive power of the eye would, of course, focus the light still sooner, and so increase rather than help the difficulty.

THE USE OF CONCAVE GLASSES.

To render vision clear in near-sight, it is of course necessary to resort to some means by which the rays of light may be prevented from being focused too quickly after entering the pupil. That is, we wish to do exactly the opposite of that which we wished to do in over-sight, at page 29.

This is accomplished by putting before the eyes concave glasses)(either in the form of eye-glasses or spectacles. A concave glass is one which is hollowed out, or thinner at the centre A concave glass neutralizes, to than at the edges. A convex glass, a certain extent, the effect suitable for far-sight or over-sight, is of a too full near-sighted one thicker at the centre than at the eye. edges. Such glasses help to focus the rays of light; while a concave glass, by diminishing the effect of the convex form of the eye-ball, hinders the focusing of the rays of light, and thus permits them to reach the back of the eye in proper form for good vision.

NEAR-SIGHTED EYES ARE GENERALLY DISEASED.

Near-sight is usually accompanied by a disease in the back part of the eye. This is almost always the case in the near-sight of children and youth. Besides this disease in the back part of the eye, such eyes are often weak-sighted, — the weak sight being mostly due to weakness and fatigue of the muscles of convergence (M C, Fig. A, p. 9).

Near-sight in children is dangerous, and should be looked after closely. The muscles of convergence are very liable to be overworked, because print in reading and fine objects of all kinds must be held quite near, which necessi-

tates a strong turning inward of the eyes. I have spoken more at length of the disease in near-sight at page 60 and the following pages, when considering the near-sight of children.

HOW TO KNOW NEAR-SIGHT.

It may seem at first, to some readers, needless to state the indications for the existence of near-sight. But in very slight cases, and in the beginning of the progressive near-sight of children, it is not always so very easy to detect. At all events, children are often brought to us for advice in affections of the eyes, the parents having

no idea that near-sight is the cause until told of it. By using the test-letters at pages 25 and 26, we may determine, generally speaking, the existence of the defect. No. 20 cannot be seen at twenty feet, nor No. 50 at fifty feet. Or if it be possible, in some light cases, to see

In near-sight, the ability to see large letters clearly, diminishes very rapidly as they are removed at a distance from the eyes.

those numbers at the required distances, it can only be done with great effort and by nearly closing the eyelids, so as to allow the rays of light to enter the pupil through a small aperture. A quick and more certain mode of detecting near-sight is to put a pair of weak concave glasses before the eyes, which at once remarkably improves the vision for distance.

SELECTION OF GLASSES FOR NEAR-SIGHT.

To choose the proper concave glasses for nearsight is so difficult a matter and, considering the usually more or less diseased condition It is important in near-sight of the eye, so fraught with grave connot to select glasses for sequences as to their effect upon the oneself. organ, that I must strongly advise that their selection be entrusted to a competent oculist. ther will a good optician — one who sells spectacles and eye-glasses — care to take the responsibility. In general terms, one may say that concave glasses

Glasses should never be too strong in near-sight should never be too strong, lest the shape of the eye-ball is, practically, too much flattened by them.

This would reduce the eye too far towards the condition of an over-sighted one, as seen at page 22, and make too great a use of the adjusting or accommodative power necessary, and this in turn tend to produce weak sight, with pain and fatigue.


Often, two pairs of spectacles or eye-glasses will be needed, — a stronger pair for distance and a weaker pair for reading. The pair for distance may be such as to permit the wearer to see letters No. 20 at twenty feet distance, or nearly twenty feet distance. Those for reading should be the weakest with which he can read the fine type on page 23 at twelve inches from the eye. Weak and painful sight in adults due to near-sight is to be relieved by rest of the eyes, avoidance of bright evening light, use of properly fitted glasses, and a general observance of the rules given on pp. 15–17. See also the remarks on progressive myopia on p. 57 and the following pages.

OLD SIGHT.

At about the age of forty or forty-five, and sometimes perhaps rather earlier in life, we notice a desire for a good strong light in reading, or threading a needle, and a disposition to push fine reading or sewing farther away from the eyes. Then follows more or less fatigue and confusion of sight in reading and sewing in the evening, especially if tired, and it is found comfortable to favor the eyes by frequent rest and change of occupation. Very soon, a like difficulty in reading fine print is noticed in the daytime.

CAUSE OF OLD SIGHT.

Old sight is due to a partial loss of the accommodative power of the eye. Hence, in looking at a distance, the accommodative or adjusting power



not being required, the eye sees as well, or nearly as well, as ever; but in near-vision, the accommoda-

tive power being necessary and not being available, vision is imperfect. The loss of the ac-Old sight is a loss of accomcommodative power is not from disease modative power in the eyes. of the eye at all, but is owing chiefly to the natural increase of the hardness of the lens and consequent loss of its elasticity. We must bear in mind that the accommodation of the Therefore near objects cannot eve for near work, as in reading, means be seen easily. the calling into action of the muscle of accommodation (M A, Fig. A, p. 9). This action results in making the lens more convex, as seen in Figure D, below. As the lens gets harder with advancing age, this change of form becomes more and more difficult.

Fig. D.

This figure represents the lens sufficiently convex to focus the rays of light properly upon the

retina. Figure C (p. 35) represents the condition of an old-sighted eye attempting to read without glasses. Notice that the lens (L) in this Figure is nearly flat, as if the eye were fixed for distance, and the rays of light are not focused; while in Figure D the lens is made full or convex by the exercise of the adjusting power, so that the rays of light are properly brought to a focus on the retina at the back of the eye.

HOW CONVEX GLASSES HELP OLD SIGHT.

Now as in old sight, seen in figure C, the accommodative power — that is, the power of increasing the convexity of the lens and so increasing its focusing power — is partially gone, it is necessary that the focal power of the eyes should be aided by glasses. We therefore place convex glasses () before the eyes. These of course making the lens practically more convex, the loss of the Convex glasses adjusting power is not felt, and the rays supply the lost accommodative of light are brought to a focus as in power.

SELECTION OF GLASSES FOR OLD SIGHT.

Convex glasses being the remedy for old sight, they should be sufficiently strong to enable one to read the type on page 58 easily and fluently at a distance of ten or twelve inches. If too strong, the print must be brought nearer than ten inches to see clearly, and this will tire the muscles of convergence that turn the eyes inward. If too weak, the fine print will have to be held farther than twelve inches away, and the letters are too small to be seen easily much beyond this distance from the eyes.

The following table gives an idea of about the strength of glasses needed at different ages; but it cannot be strictly followed, as an existing near-sight or over-sight with an old sight will require weaker or stronger glasses than those indicated in the table. The numbers are given in metres as well as inches, as the metric system is now being used by oculists in prescribing, and by most manufacturers of lenses for spectacles.

AGE.		Number and Focus in Inches.		Number in Metres.
45	48 to 60 i	nches	focus.	💈 of a metre.
50	36 " 40	"	46	ı "
55	24 " 30	"	"	1½ "
55 60	18 " 20	"	"	2 metres.
	14	"	. "	21 "
63 66	12	**	"	3 "
70	10 " 11	"	**	3 1 "
74	8 1 " 9	"	66	4 "
78	7 "8	"	"	41 "
80	61 "7	"	"	5 "
82	6 "6]	"	"	6 "

WHEN TO BEGIN WEARING GLASSES FOR OLD SIGHT.

I have said that old sight is due to loss of accommodative power from hardening of the lens. In youth the lens is quite soft and elastic, but it grows gradually harder, until in old age it becomes as hard as wax. Old sight is therefore not a Old sight comes on gradualden affection, but one which, ad-ually. vancing gradually, is not noticed until it interferes with our work, and then we resort, or should resort, to glasses.

The putting on of suitable glasses should not be neglected after the early evening symptoms of old sight are noticed. Nothing is gained by waiting, and much may be lost. We lose, in the first place, a great deal of amusement and instruc- It is not well tion from the necessity of giving up our use of glasses as long as posevening reading, avoiding small print, sible. resting our eyes, and neglecting fine work of all In the beginning, these interruptions in our ways of life are not so serious and frequent as to give much annoyance, but as old sight increases they become of importance. In the second place, and of greater moment, is the risk we run of fatiguing and straining the accommodative power of the eyes, and so causing weak sight.

OLD SIGHT DOES NOT MEAN OLD AGE.

In these days of weak sight and eye-glasses, there need be no fear that the adoption of glasses will be interpreted as a confession of old age. Old sight comes very early - much earlier than forty - in most over-sighted eyes, and this flat for-Spectacles do not indicate mation of the eye is more common than old age. I have had to prescribe, now and then, glasses for youth, as strong as those usually worn by people sixty and seventy years old. Frequently, even in the best-formed eyes, ill health, nervous debility, or a constant and severe use of the vision in fine work or night work, will develop the symptoms of old sight as early as the age of twenty-five

People who do not use the eyes are the only ones who can prudently neglect the use of glasses for old sight. or thirty. All things being equal, a farmer, if he is not studious, may postpone the use of glasses longer than a professional or literary person, or any one who reads a great deal. Nothing, how-

ever, is gained by postponement: the eyes are not made stronger, and are likely to be made weaker. But if we take the age of forty or forty-five as the average age for the beginning of old sight, it can by no means be considered as the beginning of old age and the intellectual decline that marks its reign. Most men and women do the serious and best work of their lives after the age of forty, and some even after the age of sixty.

Very rapid growth of old sight, requiring a frequent change to stronger and stronger glasses at short intervals, indicates the beginning of a serious disease of the eye, incident to middle and old age, called Glaucoma.

PECULIAR SIGHT (ASTIGMATISM).

This visual defect may be recognized by looking at vertical and horizontal lines, and comparing their blackness and distinctness at different distances. The letters on page 43, the N and the Z, are made up of horizontal and vertical lines. If at any distance from ten to twenty feet one letter appears less clear than the other, there is an inability of the eye to see vertical and horizontal lines equally well. The larger lines may be tried in the same way at from twenty to forty feet. A more complete test than either is perhaps a diagram This kind of with lines radiating from the centre like very rare. the spokes of a wheel. If any of the spokes appear indistinct or wanting (all being drawn of equal size and blackness), there is defective sight. This defect is, of course, a great hindrance to clear and


easy vision in reading, as letters are made up of lines running in different directions.


CAUSE AND CURE OF PECULIAR SIGHT.

This curious defect is due, generally, to a want of symmetry — that is, a want of smoothness, evenness, or roundness of form — in the convex front of the eye-ball. Usually it dates from birth, although it may not be troublesome enough to attract attention until the eyes are put to considerable use in study, reading, or like occupations.

The cure is in the scientific adaptation of spectacles, or glasses, that neutralize the effect of the imperfect shape of the convex front of the eye. The glasses are peculiarly ground to fit the individual case; and it is perhaps needless to add that the common convex and concave glasses can be of no important help. Indeed, one may always suspect this kind of sight when informed that "no glasses seem to fit," or to give the desired clearness of vision. A good oculist should be consulted, who will, see that glasses are properly ground and fitted. The relief to the eyes in reading and The relief by proper glasses sewing, which follows properly fitting in these cases is very remarkglasses, is very remarkable. A patient able.

of mine had for years suffered from weak sight,





weak eyes, inflamed eyelids, headache, and depression, and had tried all kinds of relief but the right kind. Properly fitting glasses gave her good sight; and as a consequence of this her other ills were banished.

IMMUNITY FROM WEAK SIGHT.

It is probably understood by the reader, from what has been said, that weak sight is very often due to defective form of the eye-ball. It is too flat, too full, or of irregular form. This makes vision an effort for both far and near, and sooner or later the result is weak sight. Now, the large majority of eyes are more or less imperfect in form; hence the prevalence of visual weakness. General ill-health may also account for some of the inability to use the eyes. There are, There are persons who can however, some people who appear to abuse their have eyes nearly perfect in form, and, eyes with impunity. But they are rare. having also a large power of accommodation, are able to see fine and near objects, as well as distant ones, with slight effort. Such persons can be very careless of their sight; can read in the steam-cars by night or day, in fact neglect all the nice rules and regulations that I have given. But such individuals are not common. Many persons think they have such eyes until they put them to severe use.

SPECTACLES AND EYE-GLASSES.

For elderly people who wear glasses to correct old sight, spectacles are usually preferred to eyeglasses. Still, for occasional use, eye-glasses, suspended around the neck by a cord, are always at hand, and quickly adjusted upon the nose. long sessions of reading, writing, or sewing, spectacles are more comfortable; but, as being exceedingly liable to get misplaced, it is well to have a pair of eye-glasses to fill inconvenient Spectacles get misplaced; gaps. I recall an old lady who dropped off her spectacles into the well: she heard the splash as they struck the water, she said; but more than a year afterwards she found it is therefore well to have them in her rag-bag. For weak sight, eye-glasses eye-glasses are generally preferable, as such eyes cannot be used continuously, and the use of glasses being compulsory, it is wiser to have them always at hand.

COLORED GLASSES.

Either blue or smoke-colored glasses are useful in weak sight, if there is great dread of light. But un-

less really necessary, it is better not to wear them, as the eye may become so habituated Colored glasses not to be worn to a subdued light as to be intolerant except from necessity. of ordinary daylight. They may be worn profitably, if needed, in bright sunlight on the snow, sand, or water. When the dread of light is great, one may also procure glasses of the proper number, convex or concave, for over-sight or nearsight, slightly blue-tinted, so as to soften Tinted glasses the glare of the white page in reading. must not be very dark. Colored glasses for reading should not be too dark in tint, lest it require too much exertion to see clearly through them.

THE COST OF SPECTACLES AND EYE-GLASSES.

Itinerant spectacle-vendors sometimes get very high prices for glasses by misrepresenting their cost. Lenses made of pebble of the best quality cost about fifty cents each at wholesale; there is then the expense of fitting them into frames, and the cost of the frames also. The finest quality of glass lenses cost about half as much as pebble, and are on the whole to be preferred. Glass Pebble is no better than is not so hard, and therefore more good glass. liable to get scratched or broken, but it is freer from flaws and defects. The price of glasses de-

pends largely also upon the skill and accuracy with Beware of spectacle-pedlars. which they are ground. In rubber or steel setting ready for use, the first quality of glasses should not cost, at retail, more than from one dollar and a half to two dollars and a half. Inferior qualities of spectacles and eyeglasses, got up in large quantities to sell, and such as are largely sold in shops throughout the country, cost about two dollars the dozen pairs. These retail at twenty-five to fifty cents.

COLOR-BLINDNESS.

Recent investigations appear to show that about twenty-five men in every hundred are more or less color-blind: they cannot distinguish red from green. As these are the colors employed on railways to signal danger and the reverse, it would appear that somebody in authority should take care that locomotive-engineers are free from color-blindness.

CONTAGIOUS DISEASES OF THE EYE.

Diseases of the eye or eye-lids, characterized by a discharge more or less thick, purulent, or mucuslike, are contagious. If the discharge from eyes thus affected comes in contact with a healthy eye, it may cause in it a similar disease. Those suffering from disease of this nature should therefore be kept isolated as much as possible, in order to lessen the chances of communicating it to others. dren, and especially infants, frequently suffer from these affections, and great caution and cleanliness are required to prevent contagion. Towels and napkins should not be used in common; and the more freely water is used the better, as the most poisonous discharge of this kind is rendered These contaharmless if mixed with fifty or a hundred times its volume of water. should also be mentioned, in this connection, that a discharge from other parts of the body, of a purulent nature, if it happen through inadvertence to come in contact with the eye, may give rise to a disease so severe as to endanger the sight.

ORDINARY ACCIDENTS TO THE EYES.

Workers in places where splinters of metal, stone, or wood are liable to strike the eye should wear spectacles at their work, with strong plane glasses in them. Plane glasses are also an efficient protection in railway travelling against the common accident of a spark or cinder in the eye. Riding backwards, when it can be tolerated, is also a safeguard against cinders and dust.

A CINDER IN THE EYE.

Having caught a cinder in the eye, it is possible that, by remaining quiet a while, it may be dissolved by the tears, and vanish; or we may promote the flow of tears by attempting to open the eye now and then, and cause the cinder to be carried off by them. We may also help the flow of tears by seizing the edge of the upper lid, drawing it away from the eye-ball, and at the same time blowing the nose smartly. Or we may pull the upper lid down over the edge of the lower, and, thrusting the latter up beneath it, make the lower eye-lashes do service as a broom in brushing away the offending substance. If these expedients fail, we have a sure one in turning over the upper lid and wiping off the cinder. This is easily done by a travelling companion. Take a pencil-case for a fulcrum; place it parallel with the edge of the upper lid about half an inch above it; then, with the thumb and finger of the other hand, seize the upper lid firmly by its eye-lashes and free edge, direct the person to look down, and, the moment the eye-ball rolls downward, turn the lid quickly up over the pencil. Do not wipe the delicate surface of the everted lid with the handkerchief more than is necessary. First find the situation of the offending substance, — which possibly may be so small as to be almost invisible; then remove it with the finger or the point of the pencil, or with the hand-kerchief turned over the end of the finger. The cinder will generally be found at about the middle of the upper lid, not far back from the edge.

FOREIGN BODY ON THE BALL OF THE EYE.

In case the foreign body sticks on the ball of the eye in front of the pupil, it may be wiped off with a bit of paper twisted to a point, or possibly by a bit of soft-pine wood (say the free end of a common friction-match). If however it does not come off easily, surgical aid must be sought, as great harm may be done the transparent front of the eye by the use of sharp instruments in inexperienced hands.

EYE-STONES.

"Eye-stones," so called, are nothing but smoothly worn pebbles or bits of shell, picked up by the seashore. It is not advisable to use them. A smooth stone in the eye could only do good by separating the lid from the ball, and thus aid the tears in washing out the foreign substance. But this good

can be accomplished in a simpler and safer way. It is not a sensible treatment of an irritable eye, suffering from the presence of a foreign body, to put into it another foreign body. Sometimes an "eye-stone" works its way so far back under the upper lid as to be very difficult of removal.

QUICK-LIME OR MORTAR IN THE EYE.

When either of the above substances has fallen into the eye, it is best to drop some sweet oil in as Do not try to soon as possible. The eye may then be syringed out with warm water, to wash away all the particles of lime possible. If the eye is injured from a strong acid, use milk and water at once in the same way. These are the best expedients pending the arrival of the oculist or surgeon.

BIT OF PERCUSSION-CAP IN THE EYE.

A bit of exploded percussion-cap entering the eye is usually fatal to the injured organ. Children are fond of exploding caps with a hammer or stone. It is an extremely dangerous pastime; and an eye being struck, an oculist should be at once consulted, as there is danger, not only of the loss of the eye, but, if certain unfavorable symptoms are

neglected, of the loss of the other uninjured eye as well.

SYMPATHETIC DISEASE OF THE UNINJURED EYE.

This may occur if a wound in the fellow-eye is very serious, or if a bit of metal has lodged within it. It is imperative therefore in these cases to seek competent advice, not wholly for the sake of the injured eye, but to save the sound eye also. To save the uninjured eye, it is sometimes advisable to have the injured eye removed, so as to prevent the spread of the inflammation to the sound one and avert blindness.

ARTIFICIAL EYES.

An artificial or glass eye is a thin shell of glass or porcelain, made to fit over the stump or remains of an eye that has been removed, or has been lost by disease. It is painted in imitation of the natural eye, and in favorable cases is easily mistaken for it across the room. It is usually inserted in the morning by the wearer, and removed at night; and when charlatans advertise that they insert artificial eyes without pain, they only promise to do what every wearer of a glass eye does for himself every day.

THE EYES OF CHILDREN.


New-born babies are subject to a dangerous inflammation of the eyes, coming on two Contagious disease in or three days after birth. There is great infants. swelling of the eyelids, and later a copious discharge of matter from the eyes. This discharge is contagious, and coming in contact with healthy eyes, may give rise in them to a similar This affection is both contadisease. Great care should be taken gious and dangerous to sight. therefore to keep the child apart from others, and the greatest cleanliness should be provided for. The affected eye or eyes should be syringed out every hour with warm water, so that the poisonous matter may be removed as soon as formed. When severe, this affection is very dangerous to the sight, and therefore the best medical aid — an oculist, if possible — should be summoned without delay.

CATARACT IN CHILDREN.

When children are observed to avoid a bright light in reading and study, and are noticed to hold The symptoms are somewhat like those of near-sight. well as very near the eyes, it probably will be found that they have cataracts.

A cataract is an opacity of the lens, L in Figure A below. This lens in health is quite transparent like glass, but in cataract it becomes opaque and unclear, somewhat like ground glass. The centre of the lens, right behind the middle of the pupil (P), is generally the most opaque. The pupil (which

Fig. A.



is the hole in the iris) has, as is generally known, the power of enlarging in a dim light, and of growing smaller in a bright light. The larger this hole or pupil, the better the child with cataract sees; and therefore a dim light is preferred for reading. If the opaquest part of the lens is not exactly in the centre, but more at one side, then the print will be read more easily by holding the book slightly

at the other side of the eye. And always the book must be held quite near, to aid the eye in its difficult task of seeing through an unclear lens.

By looking at the Figure, it will be seen also that any spot on the transparent front of the eye (C) that covers the pupil and iris (I)—very much as a watch-glass covers the face of a watch—would also make sight imperfect and difficult. But if the front of the eye and lens are clear and the pupil open, the eye being well formed, a loss of sight must be due to disease in the back of the eye,—in the retina (R) and its adjacent tissues,— or else the optic nerve (O N) for some reason fails to carry the impression of sight in the eye to the brain.

WHAT TO DO FOR CATARACT IN CHILDREN.

In these cases an oculist should be seen in order to determine whether it be cataract, or near-sight, or some other affection. If cataract, then he will advise its removal; or, if small or at one side, perhaps the making of an artificial pupil instead. As Do not neglect an eye covered by a cataract gradually loses its visual power through want of exercise of the sight, advice in these cases should be sought during the early life of the child.

OVER-SIGHT A CAUSE OF SQUINT OR CROSS-EYE.

The defect of sight called over-sight, the opposite of near-sight, is sufficiently explained at page 21. It is sometimes the cause of weak sight in children, and is then to be treated as directed on pages 66, 67. It is also the usual cause of a turning inward of one or both eyes, constituting squint or cross-eye. In the beginning of this squint, if the child is old enough to be fitted with turns in is the one that has proper convex glasses, the affection the more defective sight. may be cured by thus curing the oversight. But if the trouble is one of years' standing, it should be cured by a surgical operation. Go to a good oculist, and he will cut the muscle of convergence (M C in the Figure, p. 55), and this will restore the eye to its proper position.

PROGRESSIVE NEAR-SIGHT IN CHILDREN.

Near-sight in children is noticed usually at about the age of seven or eight or earlier, if the tendency is inherited; and from this age up to that of fifteen or sixteen, if acquired. Too much study may create near-create near-sight.

It is probably very often acquired, often ener than is generally supposed; at least, it is often observed when neither parents nor relatives, so far

as can be learned, are similarly affected. Too much study, too much school, too continuous use of the eyes on near objects, too little out-door life and exercise of the eyes in distant vision, — these are, possibly, sufficient to cause near-sight, without hereditary influence.

SYMPTOMS OF NEAR-SIGHT IN CHILDREN.

The symptoms are similar to those mentioned on page 29 and the following pages. At school the children fail to see the figures on the blackboard across the room, and in study they hold the book nearer than others. Such eyes are not able to see the letters numbered 20 at twenty feet and 50 at fifty feet distance. They are not able to read the type below at a distance of twenty-four inches. One with correctly formed eyes can do this without unusual effort.

EXTRACT FROM PROF. HUXLEY.

"The educational abomination of desolation of the present day is the stimulation of young people to work at high pressure by incessant competitive examinations. Some wise man (who probably was not an early riser) has said of early risers in general, that they are conceited all the forenoon and stupid all the afternoon. Now, whether this is true of early risers in the common acceptation of the word or not, I will not pretend to say; but it is too often true of the unhappy children who are forced to rise too early in their classes. They are conceited all the forenoon of life, and stupid all its afternoon. The vigor and freshness which should have been stored up for the purposes of the hard struggle for existence in practical life have been washed out of them by precocious mental debauchery, — by book-gluttony

and lesson-bibbing. Their faculties are worn out by the strain put upon their callow brains, and they are demoralized by worthless childish triumphs before the real work of life begins. I have no compassion for sloth, but youth has more need for intellectual rest than age; and the cheerfulness, the tenacity of purpose, the power of work which make many a successful man what he is, must often be placed to the credit, not of his hours of industry, but to that of his hours of idleness, in boyhood Even the hardest worker of us all, if he has to deal with any thing above mere details, will do well, now and again, to let his brain lie fallow for a space. The next crop of thought will certainly be all the fuller in the ear, and the weeds fewer."

But there are other symptoms of near-sight, of a general nature. One of the most common is a frontal headache, or headache over the Near-sighted children comeyes. This is a very usual symptom plain of headof near-sight in school-children, and it is frequently accompanied by a sense of languor and fatigue, and of an indisposition for active bod-In fact, the progressive, acquired ily exertion. near-sight almost invariably comes in the weakly, ill-nourished, studious, precocious child. And this general weakness and ill health favors the rise and progress of the disease at the back of the eye, to be considered later.

HOW NEAR-SIGHT IS ACQUIRED BY CHILDREN.

It will be remembered that in this defect the eye-ball (as seen in Fig. F, p. 30) is too long; that the refractive or focusing power of the eye, there-

fore, brings the rays of light to a point before they reach the retina. A tendency to near-sight, or even a deficient light without the tendency, forces the child to hold the book rather near, and this requires the turning inward or convergence of the eyes so that both may be brought to bear upon the same point of vision. Now, a studious boy or girl of ten or fifteen years, besides the five or six hours' work in school, studies also more or less at home, while the leisure hours are spent over novels or books of travel. In short, the eyes are not only used nearly continuously in regarding near objects, but their use for distance is almost wholly neg-It is not surprising that, under such train-Children should ing an organ should lose some portion of its functional power. It is to be relook at distant objects. membered that in youth the tissues of the eye are soft, yielding, and undeveloped; that it is a growing organ, easily moulded; that its future, like other parts of the body, is to be very much what it is made by training, use, or abuse. When we regard near objects, there is the action of the accommodative power, the convergence, the movement of the pupil and the adjacent tissues, and a forward movement of the whole eye-ball. All this is muscular exercise; and whether this exercise is

kept up all through the day or not cannot be a matter of indifference to an immature and growing eye. It is supposed — and very reasonably, I think — that the muscular pressure upon the yielding eye-ball, and especially the pressure in One set of musturning the eyes inward, promotes inshould not be directly a bulging of the eye at the clusion of another.

One set of muscles of the eye directly a bulging of the eye at the clusion of another.

But whatever difference of opinion may exist as to the exact way in which near-sight is made to increase, there is no question as to the fact; and it is especially true that the acquired near-sight of youth is progressive, and sometimes rapidly so. School statistics, made ten years ago and verified again and again since, have shown that it progresses with the age of the pupil and the instatistics prove creased demand upon the eyes. That that study increases is, in the elementary schools there are fewer, and in the higher schools more, near-sighted; and the grade of the defect is also more severe as we reach the high-school and college.

PROGRESSIVE NEAR-SIGHT IN CHILDREN A DISEASE.

This affection is, as I have remarked, not merely an optical defect, but is almost invariably a disease as well.

The elongation of the eye-ball in nearsight is at the back, and of course, as the outer or protective coat of the eye is stretched, the two inner tissues (the vascular and nervous coats) are unnaturally distended also. The inner tissues do not bear this distension well: they become thinned, congested, inflamed, degenerated, and The tissues around the finally are partially lost over a limited optic nerve degenerate. portion of the interior of the eye near the entrance of the optic nerve. When we look into such eyes with the ophthalmoscope, we see at this diseased part, not the retina and the middle or vascular coat as in the healthy eye, but the outer covering, the glistening white-of-the-eye shining through these attenuated tissues. In such cases, the white-of-the-eye is visible both inside and outside. The instrument that we use to look

as it is and much as it had been needed, the ophthalmoscope was not invented until after the year 1850.

into an eye, called an ophthalmoscope, is merely a small mirror with which to throw light into the eye. It has a hole through its centre for the observer, so that he may look straight at the part of the interior of the eye that is lighted up. Simple

It seems almost needless to say that an affection

at the back of the eye, capable of destroying its tissues, may if neglected lead to blindness. Every oculist is sought now and then for advice in regard to an eye blind from neglected myopia. from this cause is however not often lost before adult age, - usually between the age of thirty and forty-five perhaps. Fortunately, the destruction of the tissues, under abuse of the eyes in progressive myopia, does not advance with equal rapidity in both eyes; so that if sight be lost in one, the sufferer is quite sure to adopt every means for its It is clear therefore preservation in the other. that a myopic eye is not, as is frequently supposed, a strong eye, but on the contrary a weak one; or at least liable to become, if abused, a weak one. It is true that inherited myopic eyes are sometimes strong, but the greater number are nevertheless weak and diseased. Acquired myopia almost invariably threatens the integrity of the eye and its functions. The pain in the head and eyes spoken of is not necessarily due to disease, but may come chiefly from a muscular fatigue owing to the strain upon the muscles of convergence and accommodation, or from a want of proper co-ordination between them.

THE SCHOOL-ROOM.

There is no doubt that deficient and improperly admitted light in school-rooms is one cause of the rapid progress of this optical defect. To sit facing a light during study, for instance, is extremely injurious to the best eyes. On looking up, the Scholars should eye becomes saturated with light, and not sit facing the light. then, on turning to the printed page, an extra accommodative effort must be made to overcome the dazzling and clear up the vision. The light should enter from above and at the side, so as to strike the page of the book and not the eyes; and it should be if possible a direct rather than a reflected light.

A deficient illumination is injurious because it requires the book to be brought near the eye, and The light should be sufficient. this as we have seen tends to pressure on the eye-ball from the muscle of convergence and the other external muscles that control its movements; and so indirectly promotes the posterior bulging that we have already noticed.

School furniture is also often ill adapted for the They should not bend over their work.

scholar, even if properly placed as regards light. The bench is too high for the desk, so that the pupil must bend over his work;

thus favoring congestion to the head, and contributing to the congested condition at the back of the eyes; or the seat is too far away from the desk, and the head is thereby brought too near the book, so that the growth of near-sight is directly encouraged.

All these school-room imperfections might, of course, be of comparatively inferior moment, if it were not for the fact that children are obliged to spend six hours a day in school for nearly the whole If the high-pressure sysvear round. tem of education shall be succeeded in course of time by a system more rational, moderate, and healthful, the inte-

The high-pressure system of bad for both health and

rior arrangements of the school-houses will not be so serious a matter. Any middle-aged person can look back to the days when near-sight and weak sight among boys and girls were quite rare. It was not then the fashion to teach children every thing, -including drawing, music, and all the languages except English. Nor was it then supposed that a sufficient amount of bodily exercise would neutralize the effect of an excessive amount of brain-work. Two and two then made four, and the brilliant notion that an exhaustion in one direction could be made good by an exhaustion in another direction was not then in vogue.

WHAT SHOULD BE DONE FOR PROGRESSIVE NEAR-SIGHT IN CHILDREN.

The first and best thing to do is to take them from school, stop their reading and all use of the eyes for near objects as far as practicable, and see that they use their eyes for distance. Encourage them to climb the hills and look miles and miles away. I remember a boy of twelve in whose case the above advice was fully carried out, and in less than one month his power of vision for Use the eves for distance. distant objects had doubled. On leaving school, he saw across the room no smaller letters than those the size of the largest at page 26; but in less than one month he could see at the same distance the smaller ones numbered 20. The quick improvement in sight for distant objects brought about by the method above described is surprising.

After a time, — perhaps from three or six months to a year, — the improvement in vision for distance will cease; and then, if the general health warrants it, proper glasses should be selected by an oculist, and the studies, under his direction, may be resumed. But always and continually in this affection care must be

taken that children do not become too studious and sedentary; that they be encouraged to play out of doors, and above all to use their eyes daily in regarding distant objects. When there is much disease at the back of the eye, it is advisable of course to keep them under proper medical supervision; and always, in the case of children, a near-sighted eye should be examined by a competent ophthalmoscopist, to determine whether active disease be present or not.

IMPERFECTION OF THE EYE AS AN OPTICAL INSTRUMENT.

We have already noticed the optical imperfections of the near-sighted, old-sighted, over-sighted, and peculiar-sighted eye; and it remains now to be said that all eyes, including such as are considered perfect, are, optically considered, far from perfect. These faults, unlike those already spoken of, are irremediable, and are chiefly as follows:—

I. There is a want of transparency in the cornea (C, Fig. A) and the lens (L, Fig. A), and fluor-escence of both. Fluorescence is the property that certain substances have of becoming faintly luminous from blue or violet light. The bluish tint of a solution of quinine in water is an example of

fluorescence. A blue light thrown into the eye shows a haziness of both cornea and lens. These parts of the eye are therefore inferior to the clear and transparent lenses used by opticians in the manufacture of optical instruments.

- 2. Spherical aberration, due to a lack of corresponding symmetry in the cornea and lens, or to a lack of correspondence in their axes. This makes the refractive power of the two inharmonious, creating a slight astigmatism (see p. 41). The traditional figure of a star has five points. The eye sees a star with more or less luminous points, when, if it were optically perfect, it would see it as it is; that is, without the points.
- 3. Achromatism, or chromatic dispersion of rays. The solar rays being made up of the different colors of the spectrum, and each color being refracted in a different degree by the same medium, they are not united by it in a single focus. Look at a street-lamp at a distance through a violet-colored glass. This stops the intermediate green and yellow rays, and allows the first and last rays—the violet or blue and the red—to pass into the eye. The result is that the red is focused, but the violet and the blue are seen in a broad halo around the red gas-light. Optical instruments are free from this defect.

- 4. Slight color-blindness is common to all eyes. The eccentric portion of the retina, or that part away from the centre, does not perceive red as soon as other colors. If we test the field of vision by fixing one eye on something directly in front of it, and, keeping it fixed, move a red object across the field of vision from one side to the other, we shall find that the color of a red object is not recognizable as far away from the centre of the visual field as the outline of it. The eye also fails to distinguish a difference between a white produced by the union of scarlet and bluish green light and a white made by yellowish-green and violet; yet the first comes out black in a photograph, the latter very bright.
- 5. There is a blind spot on the retina of every eye, due to the space occupied by the entrance of the optic nerve. If we make a small cross on a sheet of paper, and three inches at the right of this a black dot, then close the left eye, hold the paper at arm's length, fix the right eye on the cross, it will be found, on bringing the paper nearer, that at about eleven inches from the eye the dot will not be seen. The blind spot is large enough to hide the face of a man at six or seven feet distance.
 - 6. The yellow spot the centre and most sensi-

tive point of the retina — is by virtue of its yellow tint unable to recognize weak blue light. The smaller stars are seen better by astronomers if they look slightly at one side rather than directly towards them.

This formidable array of common optical defects is unnoticed by us, chiefly because, having two eyes in almost constant motion, one makes up for the temporary visual disturbance in the other. Even with one eye, these defects are rarely noticed, owing to the great mobility of the eye and its continuous change in direction, and to the fact that the imperfections are mostly away from the centre of the field of vision. Habit, inattention, experience, the power of accommodation, may also be given as reasons why our natural visual defects are mostly unobserved. Nevertheless, these optical defects do exist in all eyes; and, as Professor Helmholtz remarks, if an optician offered for sale an instrument with these faults, one would be justified in refusing to buy it.

This print should be read with ease, in a good light, by what is called a perfect eye, at the distance stated above. No eye, as we have seen, is however really perfect. But if no optical defects serious enough to occasion inconvenience, or to call for the use of glasses to distinguish distant objects clearly, are present, the eye may be called perfect. Nevertheless, a slight and perhaps unno-

(51 FEET.)


ticed defect may, under certain circumstances, by making a too-continuous use of the accommodative power necessary,

(7 FEET.)

develop weak or painful sight. Illhealth and constant use of the eyes for near work, indeed, may cause

(10 FEET.)

weak sight sometimes, even if the eye be nearly correct in form and refraction.



ROBERTS BROTHERS'

CATALOGUE OF BOOKS,

SPRING OF 1878.

ANNOUNCEMENTS AND LATEST PUBLICATIONS.

PHILOCHRISTUS:

MEMOIRS OF A DISCIPLE OF THE LORD. 12mo. Cloth. Price, \$2.00.

This book, dedicated to the author of "Ecce Homo," may be called a companion volume to that work. It is the life and times of Christ in the light of modern criticism and research. The "Contemporary Review" for March, 1878, says of it: "The winning beauty of this book, and the fascinating power with which the subject appeals to all English minds, will secure for it many readers, and many of those who read it will be puzzled what to think of it. It is a work which ranks rather with 'Ecce Homo' than with Canon Farrar's 'Life of Christ.'"

ASPIRATIONS OF THE WORLD.

A CHAIN OF OPALS. By LYDIA MARIA CHILD, author of "Progress of Religious Ideas." 16mo. Price, \$1.25.

MEMOIR AND LETTERS OF CHARLES SUMNER.

By EDWARD L. PIERCE. With two newly-engraved likenesses of Sumner. Fifth Edition. Two volumes. 8vo. Cloth. Price, \$6.00. Half calf, marble edges. Price, \$10.00.

WAYS OF THE SPIRIT,

AND OTHER ESSAYS. By FREDERIC HENRY HEDGE, D.D., author of "Reason in Religion," "The Primeval World of Hebrew Tradition," &c. Second Edition. 16mo. Price, \$1.50.

THE "NO NAME SERIES."

DRIRDRK. KISMET.

MERCY PHILBRICK'S CHOICE. AFTERGLOW.

IS THAT ALL?

HETTY'S STRANGE HISTORY. WILL DENBIGH, NOBLEMAN. THE WOLF AT THE DOOR. MARMORNE.

THE GREAT MATCH. A MODERN MEPHISTOPHELES.

MIRAGE. GEMINI.

The "No Name Series" of Novelettes, by well-known writers, will be issued at convenient intervals, in handsome 16mo volumes, bound in black cloth, red lettered. Price \$1.00.

THE AMERICAN TAUCHNITZ.

Messrs. Roberts Brothers have inaugurated a new series of cheap books, which is so nearly a fac-simile of the celebrated Leipzig editions that it may appropriately be called the "American Tauchnitz Collection of Original Novels and Tales." The initial volume is "MERCY PHIL-BRICK'S CHOICE," which has already had great popularity in the "No Name Series," and which will now take a new lease of popular favor. Square 16mo. Paper covers. Price 50 cents.

TOWN AND COUNTRY SERIES.

"Books should to one of these four ends conduce: For wisdom, piety, delight, or use."

SIR J. DENHAM.

WORKS ALREADY PUBLISHED.

BEN MILNER'S WOOING. A Novel. By HOLME LEE.

FROM TRADITIONAL TO RATIONAL FAITH. By Rev. R. ANDREW GRIFFIN.

A WINTER STORY. A Novel. By the Author of "The Rose Garden." SYRIAN SUNSHINE. Notes of Travel. By Thomas G. Appleton. JAN OF THE WINDMILL. A Novel. By Mrs. EWING.

G. T. T.; OR, THE WONDERFUL ADVENTURES OF A PULLMAN. By Rev. E. E. HALE.

THE BIBLE FOR LEARNERS.

By Dr. H. OORT, of Leyden, and Dr. I. HOOYKAAS, Pastor at Rotterdam. Translated from the Dutch by Rev. P. H. WICKSTEED, of London. With a Comprehensive Index, made specially for this Edition, and Maps.

THE OLD TESTAMENT. 2 vols. 12mo . . . Price \$4.00
THE NEW TESTAMENT. 1 vol. 12mo . . . Price \$2.00

MODERN FRENCHMEN.

A series of Biographical Studies. By PHILIP GILBERT HAMERTON. Square 12mo. (In press.)

THE DECORATIVE ARTS:

Their Relation to Modern Life and Progress. By WILLIAM MORRIS, author of "The Earthly Paradise." 16mo. Paper covers. Price 30 cents.

BITS OF TRAVEL AT HOME.

By H. H. Square 18mo. Uniform with "Bits of Travel." (In press.)

FANTASY AND PASSION.

POEMS by EDGAR FAWCETT. 16mo. Cloth. Price \$1.25.

HOW TO PARSE.

An attempt to apply the Principles of Scholarship to English Grammar. With Appendixes on Analysis, Spelling, and Punctuation. By EDWIN A. ABBOTT, D.D., author of "How to Write Clearly." 16mo. Price \$1.00.

WHAT CARRER?

Ten Papers on the Choice of a Vocation and the Use of Time. By EDWARD E. HALE. 16mo. Cloth. Price \$1.25.

THE LORD'S SUPPER,

AND ITS OBSERVANCE. By LUCRETIA P. HALE. 16mo. Cloth. Price \$1.00.

BESSIE HARRINGTON'S VENTURE.

By JULIA A. MATHEWS, author of "Jack Granger's Cousin." One volume. 16mo. Price \$1.50.

THE RELIGION OF ISRAEL:

A MANUAL. Translated from the Dutch of J. KNAPPERT, Pastor at Leiden, by RICHARD A. ARMSTRONG. 16mo. Price \$1.00.

WINDFALLS.

("Fruit that is blown down from the tree:" Evelyn. — "A tree that has been prostrated by the wind:" Worcester's Dictionary.) By THOMAS G. APPLETON, author of "A Sheaf of Papers," "A Nile Journal," "Syrian Sunshine." 16mo. Cloth. Price \$1.50.

THE BIOGRAPHY OF ALFRED DE MUSSET.
From the French of Paul de Musset. By Harrier W. PRESTON. Square 12mo. Cloth, gilt top. Price \$2.00.

SUPERNATURAL RELIGION:

An Inquiry into the Reality of Divine Revelation. To which is added the Author's Preface to the Sixth Edition. Volume Third, completing the work. 8vo. Cloth. Price \$4.50. Volumes I. and II. \$8.00.

SURSUM CORDA.

Hymns for the Sick and Suffering, compiled by the Editor of "Quiet Hours," "Sunshine in the Soul," &c. 16mo. Cloth, black and gilt lettered, \$1.25; roan, flexible covers, red edges, \$1.50.

MY GIRLS, &c.

Being the fourth volume of "Aunt Jo's Scrap Bag." By LOUISA M. ALCOTT, author of "Little Women." 16mo, uniform with "My Boys." Price \$1.00.

IOLLY GOOD TIMES AT SCHOOL:

Also, Some Times not quite so Jolly. By P. THORNE, author of "Jolly Good Times." With Illustrations. Square 16mo. Cloth, gilt. Price \$1.25.

JACK GRANGER'S COUSIN.

A Book for Boys. By JULIA A. MATHEWS, author of the "Drayton Hall" Series, &c. With Frontispiece Illustration. 16mo. Cloth, gilt and black lettered. Price \$1.00.

A GREAT EMERGENCY,

AND OTHER STORIES By Mrs. J. H. Ewing, author of "Jan of the Windmill," and "Six to Sixteen." With Illustrations. 16mo. Cloth. Price \$1.25.

TOM:

A HOME STORY. By GEORGE L. CHANEY, author of "Fred Grant & Co.; or, Partnerships." With Illustrations. 16mo. Cloth, black and gilt lettered. Price \$1.25.

A new edition of "Fred Grant & Co.," by the same author. is now ready. Price reduced to \$1.25.

STUDIES IN EARLY FRENCH POETRY.

By WALTER BESANT, author of "French Humorists." Square 12mo. Price \$2.00.

POEMS.

By Louise Chandler Moulton. Square 18mo. Price \$1.00.

WISDOM SERIES.

SELECTIONS FROM THE THOUGHTS OF MARCUS AURELIUS ANTONINUS.

SELECTIONS FROM THE IMITATION OF CHRIST.

SUNSHINE IN THE SOUL. Poems selected by the Editor of "Quiet Hours."

SELECTIONS FROM EPICTETUS.

[TAULER.]

THE LIFE AND HISTORY OF THE REVEREND DOCTOR JOHN

The "Wisdom Series" will be issued in handsome pocket volumes. 18mo, flexible cloth, red edges. Price 50 cents.

BARRY CORNWALL'S AUTOBIOGRAPHY AND REC-OLLECTIONS.

Edited by Mrs. Procter and Coventry Patmore. Square 12mo. Cloth. Price \$2.00.

G. T. T.; OR, THE WONDERFUL ADVENTURES OF A PULLMAN.

By Rev. E E. HALE. Price \$1.00.

FROM TRADITIONAL TO RATIONAL FAITH; OR, THE WAY I CAME FROM BAPTIST TO LIBERAL CHRISTIANITY.

By R. Andrew Griffin. 16mo. Cloth. Price \$1.00.

LAST SERIES OF CHRISTIAN ASPECTS OF FAITH AND DUTY.

Discourses by John James Tayler. Square 12mo. Price \$2.00. TABLE TALK.

By A. Bronson Alcott. One vol. 16mo. Price \$1.50.

THE CHILDREN OF LIGHT.

By Rev. WILLIAM W. FARIS. Being the second "Fletcher Prize." 16mo. Cloth. Price \$1.50.

LANDOR'S IMAGINARY CONVERSATIONS.

FIRST SERIES: Greek and Roman Classical Dialogues. SEC-OND SERIES: Dialogues of Sovereigns and Statesmen. THIRD SERIES: Dialogues of Literary Men. FOURTH SERIES: Dialogues of Literary Men (continued); Dialogues of Famous Women; Miscellaneous Dialogues. FIFTH SERIES (completing the work): Miscellaneous Dialogues. 5 volumes. Square 12mo. Cloth. Price \$10.00. Half calf, marbled edges. Price \$15.00.

RELIGIO MEDICI.

By Sir Thomas Browne. 16mo. \$1.50.

HOURS OF THOUGHT ON SACRED THINGS.

By JAMES MARTINEAU, Author of "Endeavors after the Christian Life." 16mo. Cloth. Price \$1.50.

WE BOYS.

Written by One of Us for the Amusement of Pa's and Ma's in general, Aunt Lovisa in particular. 16mo. Cloth. Price \$1.00.

THE STORY OF SIGURD THE VOLSUNG, AND THE FALL OF THE NIBLUNGS.

By WILLIAM MORRIS, author of "The Earthly Paradise." Crown 8vo. Cloth. Price \$3.00.

TROUBADOURS AND TROUVERES.

NEW AND OLD. By HARRIET W. PRESTON. Square 12mo. Cloth. Price \$2.00.

WIT, HUMOR, AND SHAKSPEARE.

By John Weiss. Square 12mo. Cloth. Price \$2.00.

THE WEST-EASTERLY DIVAN OF GOETHE.

Translated, with an Introduction and Notes, by JOHN WEISS. Square 18mo. Cloth. Price \$1.25.

SAPPHO.

A Tragedy. From the German of Franz Grillparzer, by ELLEN FROTHINGHAM. Square 18mo. Cloth. Price \$1.00.

THE POETICAL WORKS OF JOHN KEATS.

Chronologically arranged, and edited, with a Memoir, by LORD Houghton. 16mo. Cloth. Price \$2.00.

SONGS, BALLADS, AND STORIES.

By WILLIAM ALLINGHAM. 16mo. Cloth, gilt edge. Price \$2.50.

WALTER BESANT'S FRENCH HUMORISTS.

From the Twelfth to the Nineteenth Century. New edition. Square 12mo. Price \$2.00.

RETZSCH'S OUTLINES TO SHAKSPEARE.

A new edition of this beautiful drawing-room table volume, with a Life of the Designer, is in press, and will be ready for the Holidays.

A BOOK OF POEMS.

By John W. Chadwick. Square 18mo. Cloth. Price \$1.00.

WENDERHOLME.

A STORY OF YORKSHIRE AND LANCASHIRE. By PHILIP GIL-BERT HAMERTON, Author of "The Intellectual Life." Square 12mo. Uniform with our edition of Hamerton's works. Price \$2.00.

ROSE IN BLOOM.

A Sequel to "Eight Cousins." By LOUISA M. ALCOTT, Author of "Little Women." 10mo. Cloth. Price \$1.50.

IAN OF THE WINDMILL.

By Mrs. EWING, Author of "Six to Sixteen." 16mo. Price

PUBLISHERS' ADVERTISEMENT.

From the Boston Daily Advertiser. THE "NO NAME SERIES."

"LEIGH HUNT, in his 'Indicator,' has a pleasant chapter on the difficulty he encountered in seeking a suitable and fresh title for a collection of his miscellaneous writings. Messrs. Roberts Brothers have just overcome a similar difficulty in the simplest manner. In selecting "No NAME," they have selected the very best title possible for a series of Original American Novels and Tales, to be published Anonymously, These novels are to be written by eminent authors, and in each case the authorship of the work is to remain an inviolable secret. "No Name" describes the Series perfectly. No name will help the novel, or the story, to success. Its success will depend solely on the writer's ability to catch and retain the reader's interest. Several of the most distinguished writers of American fiction have agreed to contribute to the Series, the initial volume of which is now in press. Its appearance will certainly be awaited with curiosity,"



The plan thus happily foreshadowed will be immediately inaugurated by the publication of "MERCY PHILBRICK'S CHOICE," from the pen of a well-known and successful writer of fiction.

It is intended to include in the Series a volume of anonymous poems from famous hands, to be written especially for it.

The "No Name Series" will be issued at convenient intervals, in handsome library form, 16mo, cloth, price \$1.00 each.

ROBERTS BROTHERS, PUBLISHERS,

Boston, Midsummer, 1876.

ROBERTS BROTHERS, PUBLISHERS.

NO NAME SERIES.

The "No Name Series" of original Novels and Tales, by well-known writers, to be published anonymously, will be issued at convenient intervals, inhandsome library form. 16mo. Cloth. Price \$100 each.

Works already Published:

MERCY PHILBRICK'S CHOICE.

DEIRDRÈ.

IS THAT ALL?

KISMET.

THE GREAT MATCH.

A MODERN MEPHIS-TOPHELES.

AFTERGLOW.

HETTY'S STRANGE HIS-TORY.

WILL DENBIGH, NO-BLEMAN.

MIRAGE. By the Author of "Kismet."

THE WOLF AT THE DOOR.

MARMORNE.

GEMINI.

The Novels in this Series are having a large sale, not only on account of the curiosity attending their authorship, but because they are works of enduring merit. Some of the most popular writers of the day are engaged in this enterprise.

TOWN AND COUNTRY SERIES.

"Books should to one of these four ends conduce:

For wisdom, piety, delight, or use."

SIR J. DENHAM.

It will be the aim of the Publishers to make the "Town and Country Series" a collection of entertaining, thoughtful, serious works, selected from the choicest home and foreign contemporary literature; books acceptable at all seasons in Town and Country.

Works already Published:

BEN MILNER'S WOO-ING. A Novel. By Holme Lee.

FROM TRADITIONAL TO RATIONAL FAITH. By Rev. R. Andrew Griffin.

A WINTER STORY. A Novel. By the Author of "The Rose Garden."

SYRIAN SUNSHINE. Notes of Travel. By Thomas G. Appleton.

JAN OF THE WIND-MILL. A Novel. By Mrs. Ewing.

16mo. Cloth. Price \$1 00 each.

The books in the "No Name Series" and "Town and Country Series" are for sale by all booksellers and newsdealers, or will be mailed, postpaid, on receipt of price, by the Publishers,

ROBERTS BROTHERS, Boston.





This book should be returned to the Library on or before the last date stamped below.

A fine of five cents a day is incurred by retaining it beyond the specified time. Please return promptly.

08 30 53 H JAN 25 '54H